




Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Presentation map




©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 – ONS © Crown Copyright 2014



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))


Population

Population by age group, 2012 Selection



Source: ONS © Crown copyright 2013

Population by age group, 2012 England




Source: ONS © Crown copyright 2013

Population by age group, 2012, numbers

Ages	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
aged under 16	2,880	//	53,713	10,130,226
aged 16-24	1,474	//	28,204	6,262,440
aged 25-64	8,217	//	148,741	28,044,555
aged 65-84	1,514	//	46,226	7,836,002
aged 85 and over	210	//	7,013	1,220,506
Total	14,295	//	283,897	53,493,729

Source: ONS © Crown copyright 2013

Age pyramid for selection: male and female numbers per five-year age group, 2012



Source: ONS © Crown Copyright 2013



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Black and Minority Ethnic (BME) Population	960	//	22,456	7,731,314
Population whose ethnicity is not 'White UK'	1,393	//	31,231	10,733,220
Number who cannot speak English well or at all	116	//	1,555	843,845


Source: ONS Census

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Black and Minority Ethnic (BME) Population (%)	6.8	//	7.9	14.6
Population whose ethnicity is not 'White UK' (%)	9.8	//	11	20.2
Cannot speak English well or at all (%)	0.9	//	0.6	1.7

Source: ONS Census

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Deprivation

Index of Deprivation, 2010, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
People living in means tested benefit households	2,253	//	34,191	7,597,605
Children living in income deprived households	657	//	8,309	2,115,946
People aged 60+ living in pension credit households	554	//	11,071	2,094,588


Source: CLG © Copyright 2010

Index of Deprivation, 2010, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Income Deprivation (%)	16.3	//	12.1	14.7
Child Poverty (%)	24.9	//	15.8	21.8
Older People in Deprivation (%)	24.2	//	16.3	18.1

Source: CLG © Copyright 2010

Index of Deprivation, 2010, %, Selection (comparing to England average)



Source: CLG © Copyright 2010



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Low birth weight births, 2008-2012	83	//	1,002	251,444
A good level of development at age 5, 2011/12	109	//	2,323	393,090
Achieving 5A*-C (incl. Eng & Maths) GCSE, 2011/12	83	//	1,921	330,011
Claiming job seekers allowance, 2012/13*	413	//	6,018	1,287,226
Claiming job seekers allowance for > 1 year, 2012/13	108	//	1,416	344,895

Source: Public Health England, ONS, NOMIS, DfE


* Monthly average

Child development, education and employment indicators, values (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Low birth weight births (%)	6.7	//	5.9	7.4
Child development at age 5 (%)	56.7	//	69.5	63.5
GCSE achievement (5A*-C inc. Eng & Maths) (%)	65.5	//	66.6	58.8
Unemployment (JSA claimants) (%)	4.3	//	3.4	3.8
Long term unemployment (JSA) (rate/1,000)	11.1	//	8	10.1

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Health and Care

Health and care indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
In very bad health	177	//	3,418	660,749
In bad or very bad health	798	//	15,923	2,911,195
Having a long term illness or disability	2,452	//	52,259	9,352,586
Provide unpaid care for 1 or more hours per week	1,386	//	31,982	5,430,016
Provide unpaid care for 50 or more hours per week	339	//	6,970	1,256,237


Source: ONS Census

Health and care indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
General health very bad (%)	1.2	//	1.2	1.2
General health bad or very bad (%)	5.6	//	5.6	5.5
Limiting long term illness or disability (%)	17.3	//	18.4	17.6
Provides 1 hour or more unpaid care per week (%)	9.8	//	11.3	10.2
Provides 50 hours or more unpaid care per week (%)	2.4	//	2.5	2.4

Source: ONS Census

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census
www.localhealth.org.uk



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Housing and Living Environment

Housing and living environment indicators, 2011, numbers

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Stockport), and England. Rows include Households with central heating, Overcrowded households, and Pensioners living alone.


Source: ONS Census

Housing and living environment indicators, 2011, %

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Stockport), and England. Rows include Households with central heating (%), Overcrowding (%), and Pensioners living alone (%).

Source: ONS Census

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Children's Weight

Children's weight indicators, 2010/11-2012/13, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Obese children (reception year)	62	//	698	159,197
Children with excess weight (reception year)	133	//	1,792	380,678
Obese children (year 6)	92	//	1,408	281,160
Children with excess weight (year 6)	153	//	2,562	494,931


Source: Public Health England & HSCIC © 2010-2014

Children's weight indicators, 2010/11-2012/13, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Obese children (reception year)	10.8	//	7.8	9.4
Children with excess weight (reception year)	23.1	//	20.2	22.5
Obese children (year 6)	21.6	//	17.4	19.1
Children with excess weight (year 6)	36	//	31.6	33.5

Source: Public Health England & HSCIC © 2010-2014

Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC © 2010-2014



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Children’s health care activity

Children’s health care activity indicators, numbers (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Admissions for injuries in under 5s, 2008/9-12/13	103	//	1,397	228,389
Emergency admissions in under 5s, 2010/11-12/13	892	//	11,979	1,500,752
A&E attendances in under 5s, 2010/11-12/13	1,575	//	22,849	5,096,445
Admissions for injury in under 18s, 2008/9-12/13	233	//	3,984	666,952


Source: Public Health England, HSCIC © Copyright 2015

Children’s health care activity indicators, values (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Admissions for injuries in under 5s (rate per 10,000)	188.5	//	164	139.6
Emergency admissions in under 5s (rate per 1000)	260.7	//	230.4	150
A&E attendances in under 5s (rate per 1000)	460.3	//	439.5	509.5
Admissions for injury in under 18s (rate per 100,000)	1,528.3	//	1,314.1	1,180.9

Source: Public Health England, HSCIC © Copyright 2015

Children’s health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2015



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Adults' lifestyle

Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Obese adults	2,595	//	50,168	9,983,436
Binge drinking adults	3,403	//	56,734	8,290,798
Healthy eating adults	2,661	//	66,653	11,907,157


Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Obese adults (%)	23.4	//	22	24.1
Binge drinking adults (%)	30.7	//	24.9	20
Healthy eating adults (%)	24	//	29.2	28.7

Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority (Stockport), and England. Rows include categories like 'Emergency hospital admissions for all causes', 'CHD', 'stroke', 'MI', and 'COPD'.

Source: Public Health England, HSCIC © Copyright 2014

* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease


Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority (Stockport), and England. Rows include categories like 'Emergency hospital admissions for all causes', 'CHD', 'stroke', 'MI', and 'COPD'.

Source: Public Health England, HSCIC © Copyright 2014

Emergency Hospital admissions, SARs, 2008/9 to 2012/13, Selection (comparing to England average)

Legend: Green square for 'Significantly better than England', Yellow square for 'Not significantly different', Red square for 'Significantly worse than England'.



Source: Public Health England, HSCIC © Copyright 2014



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Cancer incidence

Cancer incidence, numbers, 2007-2011 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Stockport), and England. Rows include All cancer, Breast cancer, Colorectal cancer, Lung cancer, and Prostate cancer.

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams


Cancer incidence, Standardised Incidence Ratios (SIRs), 2007-2011 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Stockport), and England. Rows include All cancer, Breast cancer, Colorectal cancer, Lung cancer, and Prostate cancer.

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, SIRs, 2007-2011, Selection (comparing to England average)

Legend: Green square for 'Significantly better than England', Yellow square for 'Not significantly different', Red square for 'Significantly worse than England'



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority (Stockport), and England. Rows include hospital stays for self harm, alcohol related harm, and emergency/elective admissions for hip and knee replacements.


Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority (Stockport), and England. Rows show SARs for the same categories as the first table.

Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Stockport), and England. Rows include All causes, All cancer, All circulatory disease, Coronary heart disease, Stroke, and Respiratory diseases.

Source: Public Health England, produced from ONS data Copyright © 2014


Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Stockport), and England. Rows include All causes, All cancer, All circulatory disease, Coronary heart disease, Stroke, and Respiratory diseases.

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - all ages, SMRs, 2008-2012, Selection (comparing to England average)

Legend: Green square for 'Significantly better than England', Yellow square for 'Not significantly different', Red square for 'Significantly worse than England'



Source: Public Health England, produced from ONS data Copyright © 2014



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority (Stockport), and England. Rows include All causes, aged under 65, All causes, aged under 75, All cancer, aged under 75, All circulatory disease, aged under 75, and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2014


Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority (Stockport), and England. Rows include All causes, aged under 65, All causes, aged under 75, All cancer, aged under 75, All circulatory disease, aged under 75, and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - premature mortality, SMRs, 2008-2012, Selection (comparing to England average)

Legend: Green square for 'Significantly better than England', Yellow square for 'Not significantly different', Red square for 'Significantly worse than England'.



Source: Public Health England, produced from ONS data Copyright © 2014



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Modelled prevalence of young people who smoke

Modelled prevalence of young people who smoke, numbers

Table with 5 columns: indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Stockport), and England. Rows include 'People aged 11-15 who occasionally smoke', 'People aged 15 who occasionally smoke', 'People aged 16-17 who occasionally smoke', 'People aged 11-15 who regularly smoke', 'People aged 15 who regularly smoke', and 'People aged 16-17 who regularly smoke'.

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton


Modelled prevalence of young people who smoke, values

Table with 5 columns: indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Stockport), and England. Rows include 'Occasional smoker (% age 11-15)', 'Occasional smoker (% age 15)', 'Occasional smoker (% age 16-17)', 'Regular smoker (% age 11-15)', 'Regular smoker (% age 15)', and 'Regular smoker (% age 16-17)'.

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton

Modelled prevalence of young people who smoke, Selection (comparing to England average)

Legend: Significantly better than England (green), Not significantly different (yellow), Significantly worse than England (red), England (grey)



Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton



Report - Ward: Edgeley and Cheadle Heath; Stockport (Ward (2013))

Life expectancy


Life expectancy at birth, years, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Males	75.8	//	79.1	78.9
Females	81.2	//	82.8	82.8

Source: Public Health England, produced from ONS data Copyright © 2014

Life expectancy at birth, years, 2008-2012, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England
 ■ England



Source: Public Health England, produced from ONS data Copyright © 2014