



# Stockport

## Sexual and Reproductive Health Profile

The Sexual and Reproductive Health Profiles have been developed by Public Health England to support local authorities and public health leads monitor the sexual and reproductive health of their population and the performance of local public health related systems.

The profiles provide a snapshot of sexual and reproductive health across a range of topics including teenage pregnancy, abortions, contraception, HIV and sexually transmitted infections. Wider influences on sexual health such as alcohol use, and other topics relating to teenage pregnancy such as education and deprivation level, are also included.

This output report provides selected data presentations showing how your local authority compares to the England value and other local authorities in your region.

Please refer to the online tool for accompanying advice and further presentations including interactive maps and other options for grouping and comparing your local authority.

### Contents

#### Spine Charts

Key Indicators	Page 2
HIV & STI	Page 3
Reproductive Health	Page 4
Teenage Pregnancy	Page 4
Wider Determinants of Health	Page 4

#### Trends

Key Indicators	Page 5
HIV & STI	Page 7
Reproductive Health	Page 10
Teenage Pregnancy	Page 11
Wider Determinants of Health	Page 12

#### Tartan Rugs

Key Indicators	Page 13
HIV & STI	Page 14
Reproductive Health	Page 16
Teenage Pregnancy	Page 16
Wider Determinants of Health	Page 17

#### Bar Charts

Key Indicators	Page 18
HIV & STI	Page 20
Reproductive Health	Page 23
Teenage Pregnancy	Page 24
Wider Determinants of Health	Page 25

#### Definitions

Page 26
---------



© Crown Copyright and database rights 2015, Ordnance Survey 100016969  
OpenStreetMap contributors ODbL

<http://fingertips.phe.org.uk/profile/sexualhealth>

Produced by Public Health England.


For enquiries please contact [profilefeedback@phe.gov.uk](mailto:profilefeedback@phe.gov.uk)

# Spine Charts

**Key**

Significance compared to goal / England average:

- Significantly worse
- Significantly lower
- Not significantly different
- Significantly higher
- Significantly better
- Significance not tested



## Key Indicators

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Syphilis diagnosis rate / 100,000	2014	4	1.4	7.8	132.1		0.7
Gonorrhoea diagnosis rate / 100,000	2014	99	34.7	63.3	633.9		8.7
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)	2014	853	2716	2012	945		4270
<div style="display: flex; justify-content: space-between; font-size: small;"> <span style="background-color: red; color: white; padding: 2px;">&lt; 1900</span> <span style="background-color: yellow; padding: 2px;">1900 to 2300</span> <span style="background-color: green; padding: 2px;">≥ 2300</span> </div>							
Chlamydia proportion aged 15-24 screened	2014	9,141	29.1	24.3	10.9		48.7
All new STI diagnoses (exc Chlamydia aged <25) / 100,000	2014	1,276	709	829	3190		383
HIV testing coverage, total (%)	2014	3,651	50.8	68.9	20.8		86.1
HIV late diagnosis (%) (PHOF indicator 3.04)	2012 - 14	14	37.8	42.2	70.0		0.0
<div style="display: flex; justify-content: space-between; font-size: small;"> <span style="background-color: green; color: white; padding: 2px;">&lt; 25</span> <span style="background-color: yellow; padding: 2px;">25 to 50</span> <span style="background-color: red; padding: 2px;">≥ 50</span> </div>							
New HIV diagnosis rate / 100,000 aged 15+	2014	14	5.9	12.3	85.4		0.0
HIV diagnosed prevalence rate / 1,000 aged 15-59	2014	205	1.25	2.22	0.25		15.08
<div style="display: flex; justify-content: space-between; font-size: small;"> <span style="background-color: blue; color: white; padding: 2px;">&lt; 1</span> <span style="background-color: yellow; padding: 2px;">1 to 2</span> <span style="background-color: red; padding: 2px;">≥ 2</span> </div>							
Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)	2013/14	1,431	91.9	86.7	51.1		96.6
<div style="display: flex; justify-content: space-between; font-size: small;"> <span style="background-color: red; color: white; padding: 2px;">&lt; previous years England average</span> <span style="background-color: green; padding: 2px;">≥ previous years England average</span> </div>							
Abortions under 10 weeks (%)	2014	690	82.2	80.4	62.0		88.5
Under 25s repeat abortions (%)	2014	91	24.3	27.0	37.1		14.3
GP prescribed LARC rate / 1,000	2014	2,577	49.6	55.2	7.7		100.6
Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2013	132	25.9	24.3	43.9		9.2
Under 18s conceptions leading to abortion (%)	2013	79	59.8	51.1	35.2		83.3
Sexual offences rate / 1,000 (PHOF indicator 1.12iii)	2014/15	316	1.11	1.40	0.76		3.48

## HIV &amp; STI

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Syphilis diagnosis rate / 100,000	2014	4	1.4	7.8	132.1		0.7
Gonorrhoea diagnosis rate / 100,000	2014	99	34.7	63.3	633.9		8.7
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)	2014	853	2716	2012	945		4270
<b>&lt; 1900 1900 to 2300 ≥ 2300</b>							
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Male)	2014	273	1700	1355	599		3016
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female)	2014	576	3751	2664	1114		5539
Chlamydia proportion aged 15-24 screened	2014	9,141	29.1	24.3	10.9		48.7
Chlamydia diagnostic rate / 100,000	2014	1,248	438	375	162		1224
Chlamydia diagnostic rate / 100,000 aged 25+	2014	383	189	173	67		1003
Genital warts diagnosis rate / 100,000	2014	302	106.0	128.4	283.2		75.5
Genital herpes diagnosis rate / 100,000	2014	143	50.2	57.8	187.7		13.9
New STI diagnosis rate / 100,000	2014	2,155	756	797	392		2921
All new STI diagnoses (exc Chlamydia aged <25) / 100,000	2014	1,276	709	829	3190		383
STI testing rate (exc Chlamydia aged < 25) / 100,000	2014	23,622	13125	15366	7922		58803
STI testing positivity (exc Chlamydia aged <25) %	2014	1,276	5.4	5.4	3.4		13.5
HIV testing uptake, total (%)	2014	4,031	67.3	77.5	22.0		94.2
HIV testing uptake, MSM (%)	2014	433	91.4	94.5	81.6		99.0
HIV testing uptake, women (%)	2014	1,964	58.3	71.5	15.5		92.2
HIV testing uptake, men (%)	2014	2,067	78.8	84.8	48.3		96.4
HIV testing coverage, total (%)	2014	3,651	50.8	68.9	20.8		86.1
HIV testing coverage, MSM (%)	2014	327	89.6	87.2	65.1		94.6
HIV testing coverage, women (%)	2014	1,805	37.6	61.9	15.1		86.3
HIV testing coverage, men (%)	2014	1,846	76.9	78.0	41.1		87.1
HIV late diagnosis (%) (PHOF indicator 3.04)	2012 - 14	14	37.8	42.2	70.0		0.0
<b>&lt; 25 25 to 50 ≥ 50</b>							
New HIV diagnosis rate / 100,000 aged 15+	2014	14	5.9	12.3	85.4		0.0
HIV diagnosed prevalence rate / 1,000 aged 15-59	2014	205	1.25	2.22	0.25		15.08
<b>&lt; 1 1 to 2 ≥ 2</b>							
Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators)	2014	16	84.2	85.4	17.1		100
<b>&lt; 50 50 to 90 ≥ 90</b>							
Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only	2013/14			98.9			
Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)	2013/14	1,431	91.9	86.7	51.1		96.6
<b>&lt; previous years England average ≥ previous years England average</b>							

## Stockport

## Reproductive Health

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Abortions under 10 weeks (%)	2014	690	82.2	80.4	62.0		88.5
Under 25s repeat abortions (%)	2014	91	24.3	27.0	37.1		14.3
Total abortion rate / 1000	2014	847	16.3	16.5	31.2		9.5
GP prescribed LARC rate / 1,000	2014	2,577	49.6	55.2	7.7		100.6
GP prescribed LARC excluding injections rate / 1,000	2014	1,453	28.0	32.3	0.3		65.0
Pelvic inflammatory disease (PID) admissions rate / 100,000	2013/14	173	332.0	235.7	686.7		79.2
Ectopic pregnancy admissions rate / 100,000	2013/14	47	90.2	89.6	160.8		22.4
Cervical cancer registrations rate / 100,000	2010 - 12		9.4	9.2	17.3		4.1

## Teenage Pregnancy

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2013	132	25.9	24.3	43.9		9.2
Under 16s conception rate / 1,000 (PHOF indicator 2.04)	2013	25	5.1	4.8	10.9		1.4
Under 18s conceptions leading to abortion (%)	2013	79	59.8	51.1	35.2		83.3
Under 18s abortions rate / 1,000	2014	56	11.0	11.1	4.2		22.8
Under 18s births rate / 1,000	2013	31	6.1	7.8	16.8		1.8


## Wider Determinants of Health

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Under 18s alcohol-specific hospital admissions rate / 100,000	2011/12 - 13/14	125	69.7	40.1	100.0		13.7
Percentage people living in 20% most deprived areas in England	2013	36,818	12.9	20.4	83.8		0.0
Under 16s in poverty (%) (PHOF indicator 1.01ii)	2012	7,990	15.3	19.2	37.9		6.6
GCSE achieved (5A*-C inc. Eng & Maths) (%)	2013/14	1,669	58.3	56.8	35.4		74.4
16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)	2014	480	4.9	4.7	9.0		1.5
Pupil absence (%) (PHOF indicator 1.03)	2013/14	549,719	4.46	4.51	5.64		3.66
First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)	2014	66	251	409	809		133


# Trends

## Key Indicators


Syphilis diagnosis rate / 100,000




Gonorrhoea diagnosis rate / 100,000




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)




Chlamydia proportion aged 15-24 screened




All new STI diagnoses (exc Chlamydia aged <25) / 100,000




HIV testing coverage, total (%)




HIV late diagnosis (%) (PHOF indicator 3.04)




New HIV diagnosis rate / 100,000 aged 15+



HIV diagnosed prevalence rate / 1,000 aged 15-59



Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)




Key ● England ● Significantly worse ● Not significantly different ● Significantly better  
 ● Significantly lower ● Significantly higher ○ Significance not tested


# Stockport

## Key Indicators continued


Abortions under 10 weeks (%)




Under 25s repeat abortions (%)




GP prescribed LARC rate / 1,000




Under 18s conception rate / 1,000 (PHOF indicator 2.04)



Under 18s conceptions leading to abortion (%)




Sexual offences rate / 1,000 (PHOF indicator 1.12iii)




Key ● England ● Significantly worse ● Not significantly different ● Significantly better  
 ● Significantly lower ● Significantly higher ○ Significance not tested

## HIV & STI

Syphilis diagnosis rate / 100,000




Gonorrhoea diagnosis rate / 100,000




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)


< 1900 1900 to 2300 ≥ 2300




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Male)




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female)




Chlamydia proportion aged 15-24 screened




Chlamydia diagnostic rate / 100,000




Chlamydia diagnostic rate / 100,000 aged 25+



Genital warts diagnosis rate / 100,000



Genital herpes diagnosis rate / 100,000




Key ● England ● Significantly worse ● Not significantly different ● Significantly better  
 ● Significantly lower ○ Significantly higher ○ Significance not tested


# Stockport

## HIV & STI continued


New STI diagnosis rate / 100,000




All new STI diagnoses (exc Chlamydia aged <25) / 100,000




STI testing rate (exc Chlamydia aged < 25) / 100,000




STI testing positivity (exc Chlamydia aged <25) %




HIV testing uptake, total (%)




HIV testing uptake, MSM (%)




HIV testing uptake, women (%)




HIV testing uptake, men (%)



HIV testing coverage, total (%)



HIV testing coverage, MSM (%)




Key ● England ● Significantly worse ● Not significantly different ● Significantly better  
 ● Significantly lower ● Significantly higher ○ Significance not tested




## HIV & STI continued


HIV testing coverage, women (%)




HIV testing coverage, men (%)




HIV late diagnosis (%) (PHOF indicator 3.04)




New HIV diagnosis rate / 100,000 aged 15+




HIV diagnosed prevalence rate / 1,000 aged 15-59




Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators)



Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only




Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)




Key ● England ● Significantly worse ● Not significantly different ● Significantly better  
 ● Significantly lower ● Significantly higher ○ Significance not tested

Reproductive Health


Abortions under 10 weeks (%)




Under 25s repeat abortions (%)




Total abortion rate / 1000




GP prescribed LARC rate / 1,000




GP prescribed LARC excluding injections rate / 1,000




Pelvic inflammatory disease (PID) admissions rate / 100,000



Ectopic pregnancy admissions rate / 100,000




Cervical cancer registrations rate / 100,000




Key ● England ● Significantly worse ● Not significantly different ● Significantly better  
 ● Significantly lower ● Significantly higher ○ Significance not tested

## Teenage Pregnancy


Under 18s conception rate / 1,000 (PHOF indicator 2.04)




Under 16s conception rate / 1,000 (PHOF indicator 2.04)




Under 18s conceptions leading to abortion (%)



Under 18s abortions rate / 1,000



Under 18s births rate / 1,000




Key ● England ● Significantly worse ● Not significantly different ● Significantly better  
 ● Significantly lower ● Significantly higher ○ Significance not tested


# Stockport

## Wider Determinants of Health


Under 18s alcohol-specific hospital admissions rate / 100,000




Percentage people living in 20% most deprived areas in England




Under 16s in poverty (%) (PHOF indicator 1.01ii)




GCSE achieved (5A\*-C inc. Eng & Maths) (%)




16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)



Pupil absence (%) (PHOF indicator 1.03)



First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)



Key ● England ● Significantly worse ● Not significantly different ● Significantly better  
 ● Significantly lower ● Significantly higher ○ Significance not tested

# Tartan Rugs

## Key Indicators

	Period	England	Blackburn	Blackpool	Bolton	Bury	Chesh East	Ch W & Ches	Cumbria	Halton	Knowsley	Lancs	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
Syphilis diagnosis rate / 100,000	2014	7.8	2.7	14.1	6.4	5.9	5.4	4.5	2.4	3.2	6.8	3.8	6.2	17.5	6.2	5.2	16.3	5.5	2.8	1.4	2.7	5.2	1.5	4.4	1.9
Gonorrhoea diagnosis rate / 100,000	2014	63.3	26.5	78.5	33.9	34.8	19.9	29.0	23.9	38.1	38.3	30.3	54.2	139.0	27.3	31.1	85.4	29.3	40.3	34.7	38.5	53.0	29.3	31.3	39.3
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)	2014	2012	1854	3760	2159	2383	1721	1997	1707	1977	2307	2360	2209	2066	3071	2671	2368	3173	2217	2716	3058	1847	1411	2192	2656
			< 1900	1900 to 2300	≥ 2300																				
Chlamydia proportion aged 15-24 screened	2014	24.3	19.3	28.1	22.2	24.3	23.2	24.7	18.8	29.0	26.3	24.2	25.3	24.0	30.1	29.0	27.5	28.3	32.3	29.1	36.6	21.1	18.1	24.3	24.8
All new STI diagnoses (exc Chlamydia aged <25) / 100,000	2014	829	576	1047	674	661	551	549	488	526	761	671	960	1383	689	692	865	682	662	709	754	753	538	615	1626
HIV testing coverage, total (%)	2014	68.9	67.3	71.9	64.8	59.1	51.1	65.3	68.6	68.6	34.5	68.8	64.1	80.6	29.2	64.2	49.9	50.3	58.5	50.8	41.8	52.3	71.6	42.7	20.8
HIV late diagnosis (%) (PHOF indicator 3.04)	2012 - 14	42.2	46.2	35.0	53.3	52.0	43.9	42.1	60.0	0.0	40.0	47.0	45.4	47.7	33.3	58.8	37.0	45.8	10.0	37.8	40.0	67.6	44.4	52.6	48.1
			< 25	25 to 50	≥ 50																				
New HIV diagnosis rate / 100,000 aged 15+	2014	12.3	2.6	10.3	1.8	4.0	6.1	4.3	1.9	4.9	6.7	4.9	12.8	26.3	4.4	5.3	16.2	7.0	2.7	5.9	7.2	6.9	4.7	2.6	10.6
HIV diagnosed prevalence rate / 1,000 aged 15-59	2014	2.22	1.02	3.84	1.78	1.69	0.91	0.86	0.54	0.70	0.70	0.78	2.10	5.83	1.41	1.63	4.76	0.99	0.43	1.25	1.49	1.97	0.73	1.08	1.08
			< 1	1 to 2	≥ 2																				
Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)	2013/14	86.7	90.3	78.9	92.9	82.0	93.1	93.6	91.2	90.4	94.4	89.6	88.4	77.9	93.3	87.7	81.1	90.6	91.3	91.9	90.9	87.2	90.0	85.3	90.4
			< previous years England average	≥ previous years England average																					
Abortions under 10 weeks (%)	2014	80.4	77.7	81.5	83.4	86.3	79.0	81.7	72.5	82.9	80.2	82.0	78.8	86.4	85.6	83.5	81.5	80.6	82.1	82.2	84.1	88.5	81.0	79.4	82.8
Under 25s repeat abortions (%)	2014	27.0	26.6	26.4	27.9	32.1	25.2	25.0	22.9	25.0	27.9	25.8	30.4	26.2	24.6	25.3	28.2	30.4	24.4	24.3	27.8	33.9	26.5	19.4	29.5
GP prescribed LARC rate / 1,000	2014	55.2	41.8	50.1	51.7	71.8	52.6	67.3	99.6	28.2	21.7	48.7	28.5	28.6	34.2	58.2	48.7	18.1	30.3	49.6	71.7	36.8	51.5	45.8	34.0
Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2013	24.3	24.0	41.7	27.7	26.7	19.3	23.3	20.2	33.3	32.1	26.2	34.1	36.5	30.6	26.1	30.4	26.2	34.2	25.9	29.1	15.6	24.6	27.1	33.7

Comparison with respect to England value / goal

Lower   Similar   Higher

Better   Similar   Worse

Not compared

## Stockport

## Key Indicators continued

Period	England	Blackburn	Blackpool	Bolton	Bury	Chesh East	Ch W & Ches	Cumbria	Halton	Knowsley	Lancs	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral	
Under 18s conceptions leading to abortion (%)	2013	51.1	44.6	41.7	49.0	51.6	61.1	42.9	50.9	56.6	63.8	53.0	59.1	48.3	51.1	55.8	50.4	57.8	55.7	59.8	47.0	65.2	52.7	46.4	55.4
Sexual offences rate / 1,000 (PHOF indicator 1.12iii)	2014/15	1.40	1.57	2.50	1.69	1.34	0.92	0.88	1.32	1.20	0.99	1.06	1.63	2.49	1.74	2.21	1.26	1.00	1.28	1.11	1.36	1.04	1.15	1.31	1.05

## HIV &amp; STI

Syphilis diagnosis rate / 100,000	2014	7.8	2.7	14.1	6.4	5.9	5.4	4.5	2.4	3.2	6.8	3.8	6.2	17.5	6.2	5.2	16.3	5.5	2.8	1.4	2.7	5.2	1.5	4.4	1.9
Gonorrhoea diagnosis rate / 100,000	2014	63.3	26.5	78.5	33.9	34.8	19.9	29.0	23.9	38.1	38.3	30.3	54.2	139.0	27.3	31.1	85.4	29.3	40.3	34.7	38.5	53.0	29.3	31.3	39.3
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)	2014	2012	1854	3760	2159	2383	1721	1997	1707	1977	2307	2360	2209	2066	3071	2671	2368	3173	2217	2716	3058	1847	1411	2192	2656
			<b>&lt; 1900</b>			<b>1900 to 2300</b>			<b>≥ 2300</b>																
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Male)	2014	1355	1484	2655	1154	1307	1133	1190	1103	1503	1541	1694	1566	1300	1782	1635	1530	2085	1511	1700	1748	1117	978	1398	1782
Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female)	2014	2664	2226	4866	3226	3534	2322	2740	2358	2443	2994	3032	2797	2819	4362	3691	3193	4311	2924	3751	4400	2618	1831	3002	3508
Chlamydia proportion aged 15-24 screened	2014	24.3	19.3	28.1	22.2	24.3	23.2	24.7	18.8	29.0	26.3	24.2	25.3	24.0	30.1	29.0	27.5	28.3	32.3	29.1	36.6	21.1	18.1	24.3	24.8
Chlamydia diagnostic rate / 100,000	2014	375	343	597	369	389	259	322	262	323	404	403	531	637	559	506	534	495	362	438	470	299	262	341	448
Chlamydia diagnostic rate / 100,000 aged 25+	2014	173	148	183	129	148	100	116	99	120	135	132	203	354	243	234	244	169	130	189	125	137	135	111	200
Genital warts diagnosis rate / 100,000	2014	128.4	110.6	168.3	122.8	121.2	114.3	110.9	103.4	108.8	149.9	129.7	183.5	211.3	116.1	128.7	172.0	102.9	124.3	106.0	133.3	125.1	120.4	151.1	157.7
Genital herpes diagnosis rate / 100,000	2014	57.8	38.7	85.6	40.3	72.9	50.4	44.7	41.2	46.0	58.9	59.2	59.5	87.1	54.6	52.3	56.1	49.4	63.0	50.2	76.6	57.8	42.4	48.8	79.6
New STI diagnosis rate / 100,000	2014	797	619	1134	717	716	536	596	496	586	812	741	1068	1421	840	798	1016	800	695	756	874	693	518	664	1332
All new STI diagnoses (exc Chlamydia aged <25) / 100,000	2014	829	576	1047	674	661	551	549	488	526	761	671	960	1383	689	692	865	682	662	709	754	753	538	615	1626
STI testing rate (exc Chlamydia aged < 25) / 100,000	2014	15366	7922	18382	11481	13145	13601	10612	11100	9021	10935	10842	13701	22301	12094	13651	15329	11281	9326	13125	14088	13414	10842	9886	12060
STI testing positivity (exc Chlamydia aged <25) %	2014	5.4	7.3	5.7	5.9	5.0	4.1	5.2	4.4	5.8	7.0	6.2	7.0	6.2	5.7	5.1	5.6	6.0	7.1	5.4	5.4	5.6	5.0	6.2	13.5

Comparison with respect to England value / goal

Lower	Similar	Higher
-------	---------	--------

Better	Similar	Worse
--------	---------	-------

Not compared
--------------

## HIV &amp; STI continued

	Period	England	Blackburn	Blackpool	Bolton	Bury	Chesh East	Ch W & Ches	Cumbria	Halton	Knowsley	Lancs	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
HIV testing uptake, total (%)	2014	77.5	69.4	81.8	82.0	76.4	61.8	71.4	68.2	77.0	60.2	74.1	71.3	82.1	26.4	68.6	70.6	79.2	67.5	67.3	38.6	51.8	82.0	58.3	22.0
HIV testing uptake, MSM (%)	2014	94.5	81.6	92.2	98.7	96.8	94.4	92.5	93.5	93.8	89.5	93.2	88.9	96.0	89.8	93.2	95.9	89.5	92.7	91.4	90.1	94.2	94.7	95.1	82.3
HIV testing uptake, women (%)	2014	71.5	69.3	79.8	78.0	69.1	50.9	62.3	61.2	74.4	53.6	71.5	68.3	76.6	16.2	62.5	57.2	77.4	62.2	58.3	28.2	37.5	81.3	52.6	15.5
HIV testing uptake, men (%)	2014	84.8	69.4	84.1	87.2	85.8	83.5	81.5	78.2	79.6	69.2	76.8	74.2	86.8	54.2	76.0	84.4	81.1	73.2	78.8	66.7	80.0	82.8	66.1	48.3
HIV testing coverage, total (%)	2014	68.9	67.3	71.9	64.8	59.1	51.1	65.3	68.6	68.6	34.5	68.8	64.1	80.6	29.2	64.2	49.9	50.3	58.5	50.8	41.8	52.3	71.6	42.7	20.8
HIV testing coverage, MSM (%)	2014	87.2	65.1	86.9	88.0	88.9	90.3	87.4	90.3	80.6	80.5	86.3	87.0	90.9	83.1	87.6	89.7	76.9	86.8	89.6	83.8	92.9	77.6	78.0	69.7
HIV testing coverage, women (%)	2014	61.9	66.2	67.0	59.5	47.9	40.3	55.4	61.6	65.0	23.8	65.8	55.6	75.6	18.7	57.8	33.6	42.9	52.8	37.6	31.7	38.7	69.6	37.4	15.1
HIV testing coverage, men (%)	2014	78.0	68.3	78.2	72.0	78.5	75.1	76.9	78.0	72.1	66.7	72.1	74.3	85.1	54.3	72.1	76.5	60.9	65.2	76.9	66.1	78.5	73.7	50.9	41.1
HIV late diagnosis (%) (PHOF indicator 3.04)	2012 - 14	42.2	46.2	35.0	53.3	52.0	43.9	42.1	60.0	0.0	40.0	47.0	45.4	47.7	33.3	58.8	37.0	45.8	10.0	37.8	40.0	67.6	44.4	52.6	48.1
			< 25	25 to 50	≥ 50																				
New HIV diagnosis rate / 100,000 aged 15+	2014	12.3	2.6	10.3	1.8	4.0	6.1	4.3	1.9	4.9	6.7	4.9	12.8	26.3	4.4	5.3	16.2	7.0	2.7	5.9	7.2	6.9	4.7	2.6	10.6
HIV diagnosed prevalence rate / 1,000 aged 15-59	2014	2.22	1.02	3.84	1.78	1.69	0.91	0.86	0.54	0.70	0.70	0.78	2.10	5.83	1.41	1.63	4.76	0.99	0.43	1.25	1.49	1.97	0.73	1.08	1.08
			< 1	1 to 2	≥ 2																				
Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators)	2014	85.4	88.2		83.9	87.5						75.0	93.9	90.0	81.6	88.9	95.8			84.2	75.0	95.7			
			< 50	50 to 90	≥ 90																				
Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only	2013/14	98.9																							
Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)	2013/14	86.7	90.3	78.9	92.9	82.0	93.1	93.6	91.2	90.4	94.4	89.6	88.4	77.9	93.3	87.7	81.1	90.6	91.3	91.9	90.9	87.2	90.0	85.3	90.4
			< previous years England average	England average	≥ previous years England average																				

Comparison with respect to England value / goal

Lower Similar Higher

Better Similar Worse

Not compared

## Stockport

## Reproductive Health

	Period	England	Blackburn	Blackpool	Bolton	Bury	Chesh East	Ch W & Ches	Cumbria	Halton	Knowsley	Lancs	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
Abortions under 10 weeks (%)	2014	80.4	77.7	81.5	83.4	86.3	79.0	81.7	72.5	82.9	80.2	82.0	78.8	86.4	85.6	83.5	81.5	80.6	82.1	82.2	84.1	88.5	81.0	79.4	82.8
Under 25s repeat abortions (%)	2014	27.0	26.6	26.4	27.9	32.1	25.2	25.0	22.9	25.0	27.9	25.8	30.4	26.2	24.6	25.3	28.2	30.4	24.4	24.3	27.8	33.9	26.5	19.4	29.5
Total abortion rate / 1000	2014	16.5	17.7	19.8	19.0	18.4	13.3	14.7	12.7	19.9	23.2	16.3	21.5	21.6	20.7	18.7	22.9	18.9	18.9	16.3	19.0	17.5	15.8	15.4	20.2
GP prescribed LARC rate / 1,000	2014	55.2	41.8	50.1	51.7	71.8	52.6	67.3	99.6	28.2	21.7	48.7	28.5	28.6	34.2	58.2	48.7	18.1	30.3	49.6	71.7	36.8	51.5	45.8	34.0
GP prescribed LARC excluding injections rate / 1,000	2014	32.3	17.9	19.5	13.9	41.0	31.2	42.0	56.5	12.3	6.5	24.1	15.7	14.7	10.5	24.5	17.7	9.0	10.4	28.0	33.4	15.9	33.8	16.7	15.4
Pelvic inflammatory disease (PID) admissions rate / 100,000	2013/14	235.7	268.3	265.1	351.8	199.1	204.6	243.8	196.4	280.4	419.4	236.3	300.0	249.1	279.0	246.5	237.8	349.5	343.0	332.0	321.7	281.6	276.1	244.2	460.3
Ectopic pregnancy admissions rate / 100,000	2013/14	89.6	110.7	101.3	87.9	22.4	92.1	59.3	75.9	107.2	92.8	88.9	73.8	76.5	45.0	30.8	100.6	100.8	88.8	90.2	81.6	136.3	82.6	80.3	108.5
Cervical cancer registrations rate / 100,000	2010 - 12	9.2	10.0	12.5	9.1	9.6	7.7	8.8	11.0	16.3	14.1	11.0	13.8	11.4	12.2	11.2	8.4	10.3	11.9	9.4	9.5	5.4	7.1	10.5	10.8

## Teenage Pregnancy

Under 18s conception rate / 1,000 (PHOF indicator 2.04)	2013	24.3	24.0	41.7	27.7	26.7	19.3	23.3	20.2	33.3	32.1	26.2	34.1	36.5	30.6	26.1	30.4	26.2	34.2	25.9	29.1	15.6	24.6	27.1	33.7
Under 16s conception rate / 1,000 (PHOF indicator 2.04)	2013	4.8	2.1	6.6	5.5	5.1	3.4	5.1	5.0	5.8	6.1	5.7	7.8	8.6	6.2	5.5	7.4	5.9	9.3	5.1	4.2	1.9	4.1	5.6	8.4
Under 18s conceptions leading to abortion (%)	2013	51.1	44.6	41.7	49.0	51.6	61.1	42.9	50.9	56.6	63.8	53.0	59.1	48.3	51.1	55.8	50.4	57.8	55.7	59.8	47.0	65.2	52.7	46.4	55.4
Under 18s abortions rate / 1,000	2014	11.1	8.4	15.5	10.7	14.4	8.3	9.4	9.1	14.0	17.8	13.7	20.4	16.0	16.7	15.7	18.3	11.1	19.7	11.0	12.7	8.8	11.1	15.6	14.7
Under 18s births rate / 1,000	2013	7.8	9.7	12.0	8.4	8.2	6.9	7.7	7.0	8.8	7.9	7.7	8.2	13.3	7.8	10.4	7.9	8.0	13.2	6.1	11.7	5.4	7.0	9.2	7.5

Comparison with respect to England value / goal

Lower	Similar	Higher
-------	---------	--------

Better	Similar	Worse
--------	---------	-------

Not compared
--------------



## Wider Determinants of Health

	Period	England	Blackburn	Blackpool	Bolton	Bury	Chesh East	Ch W & Ches	Cumbria	Halton	Knowsley	Lancs	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
Under 18s alcohol-specific hospital admissions rate / 100,000	2011/12 - 13/14	40.1	69.1	100.0	50.6	45.8	57.8	41.9	68.0	60.5	57.4	62.7	48.6	55.4	62.8	54.6	87.3	54.5	80.7	69.7	62.5	39.5	59.7	59.0	67.6
Percentage people living in 20% most deprived areas in England	2013	20.4	52.4	48.0	41.4	19.7	7.7	15.5	16.0	48.8	60.0	22.8	64.4	65.1	44.6	45.8	47.2	23.8	36.5	12.9	36.7	11.2	17.3	30.3	31.6
Under 16s in poverty (%) (PHOF indicator 1.01ii)	2012	19.2	22.6	30.6	22.2	16.9	11.9	15.4	14.7	25.6	31.0	17.1	32.0	33.9	25.3	25.2	26.8	20.1	25.0	15.3	22.7	14.1	14.5	19.5	23.4
GCSE achieved (5A*-C inc. Eng & Maths) (%)	2013/14	56.8	54.6	44.0	56.8	56.9	61.4	58.2	56.8	57.2	35.4	56.9	49.9	51.5	52.4	54.0	47.3	55.0	55.2	58.3	53.7	72.2	55.9	58.0	60.0
16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)	2014	4.7	5.8 \$	6.5	5.1	5.5	3.3	3.2	4.3	6.2	8.0	5.0	8.2 \$	6.5	4.7	4.2	7.1	5.7	6.6	4.9	3.8	3.5 \$	3.5	4.9	4.3
Pupil absence (%) (PHOF indicator 1.03)	2013/14	4.51	4.24	5.10	4.43	3.90	4.06	4.39	4.55	4.54	5.60	4.06	5.36	4.52	4.53	4.44	4.69	4.56	4.48	4.46	3.98	3.66	4.38	4.51	4.72
First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)	2014	409	208	444	422	255	371	191	438	329	490	369	431	698	458	404	494	368	445	251	513	300	169	339	430

Comparison with respect to England value / goal

Lower	Similar	Higher	Better	Similar	Worse	Not compared
-------	---------	--------	--------	---------	-------	--------------


Note: \$ - Data quality note

# Stockport


## Bar Charts

### Key Indicators


Syphilis diagnosis rate / 100,000




Gonorrhoea diagnosis rate / 100,000




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)




Chlamydia proportion aged 15-24 screened




All new STI diagnoses (exc Chlamydia aged <25) / 100,000




HIV testing coverage, total (%)




HIV late diagnosis (%) (PHOF indicator 3.04)




New HIV diagnosis rate / 100,000 aged 15+



HIV diagnosed prevalence rate / 1,000 aged 15-59




Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)




Key --- England value and confidence interval ↑ Stockport   Other local authority in North West

## Key Indicators continued


Abortions under 10 weeks (%)




Under 25s repeat abortions (%)




GP prescribed LARC rate / 1,000




Under 18s conception rate / 1,000 (PHOF indicator 2.04)



Under 18s conceptions leading to abortion (%)



Sexual offences rate / 1,000 (PHOF indicator 1.12iii)




Key  England value and confidence interval ↑ Stockport  Other local authority in North West


# Stockport

## HIV & STI

Syphilis diagnosis rate / 100,000




Gonorrhoea diagnosis rate / 100,000




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)


< 1900 1900 to 2300 ≥ 2300




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Male)




Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02) (Female)




Chlamydia proportion aged 15-24 screened




Chlamydia diagnostic rate / 100,000




Chlamydia diagnostic rate / 100,000 aged 25+



Genital warts diagnosis rate / 100,000




Genital herpes diagnosis rate / 100,000




Key  England value and confidence interval ↑ Stockport  Other local authority in North West

## HIV & STI continued


New STI diagnosis rate / 100,000




All new STI diagnoses (exc Chlamydia aged <25) / 100,000




STI testing rate (exc Chlamydia aged < 25) / 100,000




STI testing positivity (exc Chlamydia aged <25) %




HIV testing uptake, total (%)




HIV testing uptake, MSM (%)




HIV testing uptake, women (%)




HIV testing uptake, men (%)



HIV testing coverage, total (%)



HIV testing coverage, MSM (%)




Key  England value and confidence interval ↑ Stockport  Other local authority in North West


# Stockport

## HIV & STI continued

HIV testing coverage, women (%)




HIV testing coverage, men (%)




HIV late diagnosis (%) (PHOF indicator 3.04)

< 25 25 to 50 ≥ 50




New HIV diagnosis rate / 100,000 aged 15+




HIV diagnosed prevalence rate / 1,000 aged 15-59

< 1 1 to 2 ≥ 2



Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators)

< 50 50 to 90 ≥ 90




Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only

No data

Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)


< previous years England average ≥ previous years England average




Key   England value and confidence interval ↑ Stockport   Other local authority in North West

## Reproductive Health


Abortions under 10 weeks (%)




Under 25s repeat abortions (%)




Total abortion rate / 1000




GP prescribed LARC rate / 1,000




GP prescribed LARC excluding injections rate / 1,000




Pelvic inflammatory disease (PID) admissions rate / 100,000



Ectopic pregnancy admissions rate / 100,000



Cervical cancer registrations rate / 100,000




Key  England value and confidence interval ↑ Stockport  Other local authority in North West


# Stockport

## Teenage Pregnancy


Under 18s conception rate / 1,000 (PHOF indicator 2.04)




Under 16s conception rate / 1,000 (PHOF indicator 2.04)




Under 18s conceptions leading to abortion (%)



Under 18s abortions rate / 1,000



Under 18s births rate / 1,000




Key  England value and confidence interval ↑ Stockport  Other local authority in North West




## Wider Determinants of Health


Under 18s alcohol-specific hospital admissions rate / 100,000




Percentage people living in 20% most deprived areas in England




Under 16s in poverty (%) (PHOF indicator 1.01ii)




GCSE achieved (5A\*-C inc. Eng & Maths) (%)




16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)



Pupil absence (%) (PHOF indicator 1.03)



First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)



Key  England value and confidence interval ↑ Stockport  Other local authority in North West

# Definitions

## Key Indicators

**Syphilis diagnosis rate / 100,000** - All syphilis diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**Gonorrhoea diagnosis rate / 100,000** - All gonorrhoea diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)** - All chlamydia diagnoses in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England, expressed as a rate per 100,000 population.

Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence.

**Chlamydia proportion aged 15-24 screened** - All chlamydia tests (asymptomatic screens and symptomatic tests) undertaken in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England. Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total Includes tests which did not have sufficient location information to be attributed to a local authority of residence.

**All new STI diagnoses (exc Chlamydia aged <25) / 100,000** - All new STI diagnoses (excluding Chlamydia in under 25 year olds) among people accessing genito-urinary medicine (GUM) services who are resident in England. Data exclude people accessing GUM services located in England who are resident in Wales, Scotland, Northern Ireland or abroad.

**HIV testing coverage, total (%)** - The proportion of 'Eligible new GUM Attendees' in whom a HIV test was accepted.

'Eligible new GUM Attendee' is defined as a patient attending a GUM clinic at least once during a calendar year. Patients known to be HIV positive<sup>1</sup>, or for whom a HIV test was not appropriate<sup>2</sup> are excluded.

<sup>1</sup> E1B, E2B, E3A2, E3B, H, H2

<sup>2</sup> P1C

Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

MSM includes men who reported a homosexual or bisexual orientation. For coverage of HIV testing, MSM is defined based on a patient's entire clinic attendance history (i.e. a man is classified as MSM for all attendance years including and following the earliest year a man identifies as MSM).

**HIV late diagnosis (%) (PHOF indicator 3.04)** - Percentage of adults (aged 15 years or more) diagnosed with a CD4 cell count less than 350 cells per mm<sup>3</sup> among all newly diagnosed adults with CD4 cell count available within 91 days of diagnosis and with known residence-based information.

**New HIV diagnosis rate / 100,000 aged 15+** - All new HIV diagnoses among adults (aged 15+ years) in the UK who reside in England, expressed as a rate per 100,000 population. Data exclude adults diagnosed in England residing in Wales, Scotland, Northern Ireland or abroad.

**HIV diagnosed prevalence rate / 1,000 aged 15-59** - People aged 15 to 59 years seen at HIV services in the UK who are residents in England, expressed as a rate per 100,000 population. Data exclude adults seen for HIV care in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)** - All girls aged 12 to 13 years who have received all three doses of the HPV vaccine within each reporting area (at present PCT responsible population) as a percentage of all girls aged 12 to 13 years within each area.

**Abortions under 10 weeks (%)** - Percentage of all NHS-funded abortions performed under 10 weeks gestation

**Under 25s repeat abortions (%)** - Percentage of abortions in women aged under 25 years that involve a women who has had a previous abortion in any year.

**GP prescribed LARC rate / 1,000** - Crude rate of GP prescribed long acting reversible contraception per 1,000 resident female population aged 15-44 years

**Under 18s conception rate / 1,000 (PHOF indicator 2.04)** - Conceptions in women aged under 18 per 1,000 females aged 15-17

**Under 18s conceptions leading to abortion (%)** - The percentage of conceptions to those aged under 18 years that led to an abortion

**Sexual offences rate / 1,000 (PHOF indicator 1.12iii)** - Rate of sexual offences based on police recorded crime data per 1,000 population

## HIV & STI

**Syphilis diagnosis rate / 100,000** - All syphilis diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**Gonorrhoea diagnosis rate / 100,000** - All gonorrhoea diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**Chlamydia detection rate / 100,000 aged 15-24 (PHOF indicator 3.02)** - All chlamydia diagnoses in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England, expressed as a rate per 100,000 population.

Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence.

**Chlamydia proportion aged 15-24 screened** - All chlamydia tests (asymptomatic screens and symptomatic tests) undertaken in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England. Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total Includes tests which did not have sufficient location information to be attributed to a local authority of residence.

**Chlamydia diagnostic rate / 100,000** - All chlamydia diagnoses among people accessing GUM clinics, primary care and community services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence.

**Chlamydia diagnostic rate / 100,000 aged 25+** - All chlamydia diagnoses among 25+ year olds accessing GUM services, primary care and community services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence.

**Genital warts diagnosis rate / 100,000** - All diagnoses of first episode genital warts among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are resident in Wales, Scotland, Northern Ireland or abroad.

**Genital herpes diagnosis rate / 100,000** - All diagnoses of first episode genital herpes among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are resident in Wales, Scotland, Northern Ireland or abroad.

**New STI diagnosis rate / 100,000** - All new STI diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**All new STI diagnoses (exc Chlamydia aged <25) / 100,000** - All new STI diagnoses (excluding Chlamydia in under 25 year olds) among people accessing genito-urinary medicine (GUM) services who are resident in England. Data exclude people accessing GUM services located in England who are resident in Wales, Scotland, Northern Ireland or abroad.

**STI testing rate (exc Chlamydia aged <25)** - All tests for syphilis, HIV, *Neisseria gonorrhoeae* and chlamydia (aged over 25) among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**STI testing positivity (exc Chlamydia aged <25) %** - All new STI diagnoses (excluding Chlamydia in under 25 year olds) among people accessing GUM services in England who are also residents in England, expressed as a percentage of the number of STI tests performed. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**HIV testing uptake, total (%)** - The number of 'Eligible new GUM Episodes' where a HIV test was accepted as a proportion of those where a HIV test was offered. Multiple episodes of HIV test offer and uptake are included per individual within a year.

'Eligible new GUM Episode' is defined as a visit to a GUM clinic including all subsequent GUM attendances in the following six weeks (i.e. eligibility for testing occurs only once every six weeks). Attendances by known HIV positive patients<sup>1</sup>, or where a HIV test was not appropriate<sup>2</sup> are excluded.

<sup>1</sup> E1B, E2B, E3A2, E3B, H, H2

<sup>2</sup> P1C

Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

MSM includes men who reported a homosexual or bisexual orientation. For uptake of HIV testing, MSM is defined based on a patient's entire clinic attendance history (i.e. a man is classified as MSM for all attendance years including and following the earliest year a man identifies as MSM).

**HIV testing coverage, total (%)** - The proportion of 'Eligible new GUM Attendees' in whom a HIV test was accepted.

'Eligible new GUM Attendee' is defined as a patient attending a GUM clinic at least once during a calendar year. Patients known to be HIV positive<sup>1</sup>, or for whom a HIV test was not appropriate<sup>2</sup> are excluded.

<sup>1</sup> E1B, E2B, E3A2, E3B, H, H2

<sup>2</sup> P1C

Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

MSM includes men who reported a homosexual or bisexual orientation. For coverage of HIV testing, MSM is defined based on a patient's entire clinic attendance history (i.e. a man is classified as MSM for all attendance years including and following the earliest year a man identifies as MSM).

**HIV late diagnosis (%) (PHOF indicator 3.04)** - Percentage of adults (aged 15 years or more) diagnosed with a CD4 cell count less than 350 cells per mm<sup>3</sup> among all newly diagnosed adults with CD4 cell count available within 91 days of diagnosis and with known residence-based information.

**New HIV diagnosis rate / 100,000 aged 15+** - All new HIV diagnoses among adults (aged 15+ years) in the UK who reside in England, expressed as a rate per 100,000 population. Data exclude adults diagnosed in England residing in Wales, Scotland, Northern Ireland or abroad.

**HIV diagnosed prevalence rate / 1,000 aged 15-59** - People aged 15 to 59 years seen at HIV services in the UK who are residents in England, expressed as a rate per 100,000 population. Data exclude adults seen for HIV care in England who are residents in Wales, Scotland, Northern Ireland or abroad.

**Proportion of TB cases offered an HIV test (TB Strategy Monitoring Indicators)** - The annual proportion of TB cases who were offered an HIV test (exclusions: TB Cases where HIV status was already known and TB cases diagnosed post mortem).

**Antenatal infectious disease screening – HIV coverage (PHOF indicator 2.21i) Region only** - The percentage of pregnant women eligible for infectious disease screening who are tested for HIV, leading to a conclusive result

**Population vaccination coverage - HPV (%) (PHOF indicator 3.03xii)** - All girls aged 12 to 13 years who have received all three doses of the HPV vaccine within each reporting area (at present PCT responsible population) as a percentage of all girls aged 12 to 13 years within each area.

## Reproductive Health

**Abortions under 10 weeks (%)** - Percentage of all NHS-funded abortions performed under 10 weeks gestation

**Under 25s repeat abortions (%)** - Percentage of abortions in women aged under 25 years that involve a women who has had a previous abortion in any year.

## Stockport

---

**Total abortion rate / 1000** - Crude rate of abortions per 1,000 female population aged 15-44 years

**GP prescribed LARC rate / 1,000** - Crude rate of GP prescribed long acting reversible contraception per 1,000 resident female population aged 15-44 years

**GP prescribed LARC excluding injections rate / 1,000** - Crude rate of GP prescribed highly effective long acting reversible contraception (excludes injections) per 1,000 resident female population aged 15-44 years

**Pelvic inflammatory disease (PID) admissions rate / 100,000** - Crude rate of pelvic inflammatory disease (PID) admissions in women aged 15-44 years per 100,000 population (women aged 15-44 years)

**Ectopic pregnancy admissions rate / 100,000** - Crude rate of ectopic pregnancy admissions to hospital in women aged 15-44 years per 100,000 population (women aged 15-44 years)

**Cervical cancer registrations rate / 100,000** - Directly age-standardised rate of cervical cancer registrations per 100,000 female all age population

## Teenage Pregnancy

**Under 18s conception rate / 1,000 (PHOF indicator 2.04)** - Conceptions in women aged under 18 per 1,000 females aged 15-17

**Under 16s conception rate / 1,000 (PHOF indicator 2.04)** - Conceptions in women aged under 16 per 1,000 females aged 13-15

**Under 18s conceptions leading to abortion (%)** - The percentage of conceptions to those aged under 18 years that led to an abortion

**Under 18s abortions rate / 1,000** - Abortions in women aged under 18 per 1,000 females aged 15-17

**Under 18s births rate / 1,000** - Births in women aged under 18 per 1,000 females aged 15-17

## Wider Determinants of Health

**Under 18s alcohol-specific hospital admissions rate / 100,000** - Persons admitted to hospital due to alcohol-specific conditions – under 18 year olds, crude rate per 100,000 population. See LAPE user guide for further details - [http://www.lape.org.uk/downloads/Lape\\_guidance\\_and\\_methods.pdf](http://www.lape.org.uk/downloads/Lape_guidance_and_methods.pdf)

**Percentage people living in 20% most deprived areas in England** - Percentage of the relevant population in this area living in the 20% most deprived Lower Super Output Areas in England.

**Under 16s in poverty (%) (PHOF indicator 1.01ii)** - Percentage of children in low income families (children living in families in receipt of out of work benefits or tax credits where their reported income is less than 60% median income) for under 16s only

**GCSE achieved (5A\*-C inc. Eng & Maths) (%)** - Percentage of pupils achieving 5 or more GCSEs at grades A\*-C (including English and Maths) or equivalent, percentage of pupils at end of Key Stage 4 in schools maintained by the Local Authority, at the end of the academic year, persons.

**16-18 year olds not in education employment or training (%) (PHOF indicator 1.05)** - The estimated number of 16-18 year olds not in education, employment or training divided by the total number of 16-18 year olds known to the local authority whose activity is either not in education, employment or training (NEET), or in education, employment or training (EET). This indicator will use the average proportion of 16-18 year olds NEET between November and January each year.

**Pupil absence (%) (PHOF indicator 1.03)** - Percentage of half days missed by pupils due to overall absence (including authorised and unauthorised absence).

**First time entrants to the youth justice system rate / 100,000 (PHOF indicator 1.04)** - Rates of juveniles receiving their first conviction, caution or youth caution per 100,000 10-17 year old population by area of residence.